


# Stimulator

## Materials List

<b>Hook</b>	Curved Shank Fly Hook
<b>Thread</b>	Orange Uni Thread 8/0
<b>Hackle</b>	Brown/Grizzly Dry-Fly Hackle
<b>Tail</b>	Deer Hair
<b>Body</b>	Yellow Four Strand Nylon Floss
<b>Head</b>	Orange Four Strand Nylon Floss
<b>Wings</b>	Deer Hair
<b>Rib</b>	Fine Copper Ultra Wire

## Step-By-Step Instructions

<p><b>Step 1</b></p> <p>Place your hook in the vice and secure tightly in place.</p>	
<p><b>Step 2</b></p> <p>Attach the thread to the hook shank at the 3/4 mark on the shank.</p>	

**Step 3**

Select a small clump of deer hair. Clean out the under fur and stack the tips of the hair.

**Step 4**

Tie the tail on to the hook shank at the point above the barb. Take care not to use too much pressure at first; too much pressure will cause the hair to flair out. Wrap down all the tag ends of the deer hair with thread.

**Step 5**

Tie in a piece of copper wire. This will be used to rib the fly and secure the hackle.

**Step 6**

Tie in a small strip of yellow floss at the 1/2 way mark on the shank. Wrap this floss down and back up the body of the fly.

**Step 7**

Select a brown hackle and tie it in at the point where you stopped dubbing the body. Wind this hackle down the body of the fly toward the tail.



**Step 8**

Once you reach the tail of the fly, counter wind the copper wire forward (in the opposite direction that you wrapped the hackle) securing the hackle in place.

**Step 9**

Select a second larger clump of deer hair. Clean out the under fur and stack the tips of the hair. Tie this hair in over top of the body you just created. Again, be careful not to put too much pressure on the thread and flair the hair.

**Step 10**

Select a long grizzly hackle and tie it in ahead of the deer-hair wing. Tie in a small strip of orange floss and make a small tapered head towards the eye of the hook.

**Step 11**

Wrap the hackle tightly toward the head of the fly, creating a large bushy head. Whip-finish the thread and cement.

